The life-world of persons with schizophrenia. A panoramic view

M. Mancini¹, S. Presenza¹, L. Di Bernardo¹, P.P. Lardo¹, S. Totaro¹, F. Trisolini¹, L. Vetrugno¹, G. Stanghellini^{1,2}

¹ "G. d" Annunzio" University of Chieti, Italy; ² "Diego Portales" University of Santiago, Chile

Summary

The profound transformation of the life-world of persons with schizophrenia involves changes in the ontological framework of experience and has serious consequences for how such persons live their life as embodied persons and how they understand the existence of other people. Drawing on classical as well as contemporary psychopathological accounts, we systematically and succinctly describe the basic features of these changes. Lived time, space, body, selfhood and otherness are used as the principal descriptors of this transformation. We offer a reconstruction of the life-world of persons with schizophrenia that discloses their primordial in esse, their basic sense of being in the world. We argue that detailed knowledge of these deep ontological changes is fundamental for the understanding of the schizophrenic style of experience and action as well as

for making sense of the symptoms of schizophrenia. From our reconstruction, it emerges that the phenomenon of fragmentation is a candidate common denominator of the schizophrenic experience. Fragmentation appears a basic feature of lived time, as well as space, body and selfhood. The loss of a coherent Gestalt of experience seems to run through the manifold of schizophrenic abnormal phenomena, also affecting the related self-world and inter esse. This suggests the crisis of the synthetic function of consciousness, that is, of the temporal unity of consciousness, could be at the basis of characteristic of "disarticulation", distinctive of the schizophrenic world.

Key words

Body • Other • Phenomenology • Schizophrenia • Self • Space • Time

Two strategies were here locked in combat, two integral positions, two sets of logical consistency. But Moosbrugger had the less favourable position; even a much cleverer man could not have expressed the strange, shadowy reasonings of his mind. They rose directly out of the confused isolation of his life, and while all other lives exist in hundreds ways – perceived the same way by those who led them and by all others, who confirm them – his true life existed only for him. It was a vapour, always losing and changing shape. He might, of course, have asked his judges whether their lives were essentially different. But he thought no such things. Standing before the court, everything that had happened so naturally in sequence was now senselessly jumbled inside him. R. Musil, The man without qualities, pp. 76-7.

subtle changes in their subjective experiences^{1 3-10}. This paper examines these anomalous experiences, addressing changes of schizophrenic subjectivity, and aims to reconstruct the life-world inhabited by people with schizophrenia.

Life-world, in Edmund Husserl's sense ¹¹, is the original domain, the obvious and unquestioned foundation both of all types of everyday acting and thinking and of all scientific theorising and philosophising. In its concrete manifestations, it exists as the "realm of immediate evidence". The variant of life-world phenomenology developed by Alfred Schutz ⁶ on the basis of ideas derived from Husserl is today without question one of the most important background theories of qualitative research. The main objective of research in this field is to reconstruct the formal structures of the life-world ⁶⁻¹¹, that is, to provide a formal description of invariable basic structures of experience, action and the constitution of meaning.

Although the majority of people are situated within a shared life-world, there are several other frameworks of experience – for example, fantasy worlds, dream world and "psychopathological worlds" ⁶. Abnormal mental phenomena are the expression of a modification of the ontologi-

Introduction

Schizophrenia is a complex condition that defies simple description. In addition to the symptoms identified by the DSM ², abnormal phenomena that affect people with schizophrenia include other important though more

Correspondence

Milena Mancini, Department of Psychological, Humanistic and Territorial Sciences, University "G. D" Annunzio", via Dei Vestini 31, Chieti, 66013, Italy • Tel. +39 0871 355 5376 • E-mail: mancinimilena@yahoo.it

cal framework within which experience is generated. The overall change in the ontological framework of experience transpires through the single symptoms, but the specificity of the core is only graspable at a more comprehensive structural level ⁵ ¹²⁻¹⁴. The experience of time, space, body, self and others, and their modifications, are indexes of the patient's basic structures of subjectivity within which each single abnormal experience is situated ¹⁵.

Recent phenomenological research on schizophrenia has addressed this issue by adopting the concept of phenophenotype ¹⁴. This concept is a supportive tool for the phenomenological dissection of psychopathological disorders. It aims to describe phenomena as they are experienced by patients so that the features of a pathological condition emerge, while preserving their peculiar feel, meaning and value for the patient. The utility of the concept of pheno-phenotype is to produce a systematic description of subtle and often undescribed changes in the patient's subjective experience and to reconstruct the ontological framework within which they are generated. The aim is to improve our knowledge about psychopathological phenotypes in order to enlarge our awareness of the life-world people affected with mental disorders live in, understand their behaviour and experiences, refine diagnostic criteria and establish homogenous categories for neurobiological research.

Lived time

The schizophrenic pheno-phenotype is characterised by subjective experiences such as those concerning the way these patients experience time ^{1 7 9 13 16-31}. Classic phenomenological studies provide several, and sometimes inconsistent, descriptions of time experience in people with schizophrenia. Minkowski 19 suggested that people with schizophrenia experience time as altered in its flow and fluidity, frozen, immobilised, blocked, without "élan vital". Also, their time experience is characterised by the loss of the immediate attunement with the present situation 20 16 18. People with schizophrenia have also been considered affected by the spatialisation of time experience: time is felt as divided in juxtaposed elements that the schizophrenic person doesn't weld and gather 19. Persons with schizophrenia were also described as living in an elusive, eternal and pregnant "now", called the ante festum, in which what is most important is always about to happen 17 21 22 32. Especially in early schizophrenia, time is suspended: it is a paradoxical mixture of immobility and protention, a knot of stillness and frenzy, stop and incipient moment 13. Temporal fragmentation has been considered as a generative disturbance in schizophrenia. Major schizophrenic symptoms such as thought disorder, thought insertion, hallucinations, or passivity experiences have been regarded as manifesting a disturbance of the constitutive synthesis of time consciousness ²⁷. There is a breakdown of time *Gestalt*: with the fracturing of the time flow, we observe an itemisation of now-moments in consciousness ¹³. With the collapse of the temporal continuity, each "moment" in a person's stream of consciousness will be experienced as detached from the previous one and from the following, as well as extraneous to one's sense of selfhood ^{13 27}.

In schizophrenia, compared to mood disorders, the collapse of the very vector-like nature of the present moment (understood as James's "specious present" or the Husserlian "now") can occur; as a result, rather than merely experiencing time flow as slowing (melancholia) or accelerating (mania), life itself can turn into a series of stills as time turns wholly strange and unpredictable. Unlike in melancholia, in which the crisis of life-drive that projects into the future leaves the person dominated by the past, futility and fatigue; in schizophrenia, temporality loses all organisation and meaning ⁹.

As a way to lend some coherence to these studies, we suggest that abnormal time experience in people with schizophrenia can be characterised as follows (patients' quotes from unpublished database) (Table I):

- 1. Disarticulation of Time Experience Patients live the temporal plot as disarticulated. It includes the following sub-categories:
- 1.1 Disruption of time flow: patients may experience a collection of disarticulated snapshots rather than as a coherent series of actions and events. Typical sentence: "The world like a series of photographs".
- 1.2 Déjà vu/Vecu: patients experience places, people, etc. as already lived; this presupposes a disarticulation between past and present. Typical sentence: "When I heard news I felt I had heard it before".
- 1.3 Premonitions about oneself: patients live the present as the anticipation of their future, as a forewarning of something that concerns them, e.g. they have a feeling that something is going to happen to them or that they or the others are going to do something. Typical sentence: "I have premonition of what is going to happen to myself".
- 1.4 Premonitions about the external world: patients live the present as the anticipation of their future, as a presentiment about external world, (e.g. they experience that something is going to happen in the external world). Typical sentences: "Something going on, as if some drama is unfolding".
- 2. Disturbed Experience of Time Speed Patients live time speed as disturbed. They can live time as decelerated (longer, slower, fixed, frozen), accelerated, or both decelerated and accelerated. Typical sentences are: "I felt I was moving normally and

TABLE I. Lived time in people with schizophrenia.

Subjective experiences		
Category	Description category/ subcategory	
1. Disarticulation of Time Experience	1.1 Disruption of time flowing: A collection of disarticulated snapshots rather than a coherent series of actions and events ("World like a series of photographs"). 1.2 Déjà vu/Vecu: Places, people, etc. are already lived; this presupposes a disarticulation between past and present ("When I heard news I felt I had heard it before"). 1.3 Premonitions about oneself: Present is the anticipation or forewarning of something in the future concerning the patient ("I have premonition of what is going to happen to myself"). 1.4 Premonitions about the external world: Present as the anticipation or presentiment about external world ("Something going on, as if some drama unfolding").	
2. Disturbed Experience of Time Speed	Time speed is anomalous - decelerated, accelerated, or both decelerated and accelerated ("I felt I was moving normally and everyone was moving slowly", "Time went by very quickly", "Mouth movement and speech of other out of synchronizing: one faster and the other slower").	
3. Discrepancies about Time Experiences	Time "different" as compared to previous or commonsense experience of time; lost regarding common temporal references ("Time is somewhat changed", "Time isn't supposed to be the way it was. I don't know in what way. I have to think it").	

everyone was moving slowly"; Time went by very quickly"; "Mouth movement and speech of other out of synchronizing: one faster and the other slower".

3. Discrepancies about Time Experiences
Patients live time "differently" compared to their previous or common sense experience of time, or they feel themselves lost regarding the common temporal references. Typical sentences: "Time is somewhat changed"; "Time isn't supposed to be the way it was. I don't know in what way. I have to think about it".

Lived space

Jaspers already mentioned space (and time) as a primary and omnipresent element in the sense world of human beings ³³. Classic phenomenological studies have explored lived space in people with schizophrenia ^{9 13 14 32-49}. Lived space represents "the totality of the space that a person pre-reflectively "lives" and experiences". Under normal conditions, lived space is "not homogeneous, but centred on the person and his body, characterised by qualities such as vicinity or distance, wideness or narrowness, connection or separation, attainability or unattainability" ³⁸. Callieri ³⁹ talked about the *habitability* of space, that is the space where you can stay in and deploy your own activities. The same phenomenon is addressed by Willi's *ecological niche* ⁴⁰.

In schizophrenia, lived space is no longer a space of possibility whose extension represents the degree that one feels able to "reach" things in the world ⁹. , Rather, lived space in schizophrenia is a kind of *espace figé*, defined by Callieri et al. ⁴¹ in analogy with the time described by Le Guen. In this kind of space, things may not appear meaningfully related to one's own body ⁴². People with schizophrenia may find themselves living in a strange and uncanny space, at times dull, at times as an infinity plane, in the boundlessness, or in a space where objects are fragmented, flat ⁹. Patients try to describe these quasi-ineffable experiences using generic terms as "unreal", "inscrutable", "fake", "meaningless", and define their condition as characterised by "disorientation", "bewilderment", "incertitude", "awe" and so on ¹³.

An attempt to classify disorders of lived space in schizophrenia groups these into three main categories (Table II):

1. Loss of perspectival properties

One key feature of lived space in schizophrenia is its growing homogeneous, two-dimensional characteristics, losing its perspectival quality ⁴³⁻⁴⁷. Space appears as a rarefied atmosphere, shaded or fuzzy, or an extension with blinding light. It seems that patients lose their sense of having any subjective centre at all, a point of view, or orientation. It may involve an ineffable feeling of being surrounded by unknown territories. Also, the background of lived space can

TABLE II.Lived space in people with schizophrenia.

Subjective experiences		
Category	Description category/ subcategory	
1. Loss of perspectival properties	Space is a rarefied atmosphere, or an extension with blinding light. Patients lose their sense of having any subjective point of view, or orientation. Ineffable feeling of being surrounded by unknown territories ("There is only the space between things; things are there in a fashion but not so clear", "I felt spaceless").	
2. Itemization	Space is a disarticulated collection of unrelated items, or decontextualized details ("In the silence and immensity, each object was cut off by a knife, detached in the emptiness, in the boundlessness, spaced off from other things", "I am overwhelmed by too much detail - too much detail in objects").	
3. Alteration of spatial properties of things	Various types of anomalous experiences: alteration of dimensions and shape of objects, e.g., macropsia, micropsia and dysmegalopsia, objects fragmented, flat, or unrelated. ("For a while it seemed big and open, then too close to me", "My perception of the world seemed to sharpen the sense of the strangeness of things", "The air was between things, but the things themselves were not there").	

be experienced as coming into the foreground as lived space loses its perspectival quality and paradoxically becomes an unfathomed flatness ¹³. This uncanny experience of flatness is taken by the patient as an intimation and a warning: what appears is mere surface, façade, exteriority – a mask hiding a baffling profundity. Typical sentence: "There is only the space between things; things are there in a fashion but not so clear", "I felt spaceless".

2. Itemisation

Another typical feature is the fragmentation of space *Gestalt* reducing the ensemble of a living situation to a mere collection of itemised details. Space is reduced to a disarticulated collection of unrelated items, or decontextualized details. Typical sentences: "In the silence and immensity, each object was cut off by a knife, detached in the emptiness, in the boundlessness, spaced off from other things"; "I am overwhelmed by too much detail - too much detail in objects".

3. Alteration of spatial properties of things

Often anomalies in lived space are described by patients, rather than as anomalies of space itself, as anomalies of the way *things* appear in space. This category includes various types of anomalous experiences, such as alteration of dimensions and shape of objects, e.g. macropsia, micropsia and dysmegalopsia, objects fragmented, flat, or unrelated. Typical sentences: "For a while it seemed big and open, then too close to me"; "My perception of the world seemed to sharpen the sense of the strangeness of

things"; "The air was between things, but the things themselves were not there".

Lived body

Phenomenology considers the lived body (i.e. the often implicit experience one has of his own body) as one the most important dimensions of self-experience and the most primitive form of self-awareness 50.51. Empirical research shows that patients with schizophrenia frequently present many different kinds of abnormal bodily sensations in the course of their illness, including somatic delusions 52, coenaesthesias 53-58, disturbance of pain perception 59-62, outof-body experiences 63 64, dysmorphophobia 65-71, body disintegration 72 and self-injury or self-mutilation 73-77. Most characteristic are ongoing bodily feelings of disintegration/ violation and "thingness/mechanisation". These include experiences of instability of bodily boundaries, including externalisation of parts of the body that normally are within the bodily boundaries as well as internalisation of objects that normally occupy the external space. In addition, fragmentation of bodily construction and changes of body appearance seem to be typical of schizophrenia. Other typical phenomena are "morbid objectivisation" and devitalisation ^{13 48 78-83}. In mainstream clinical scales ^{34 58 75 84-86}, abnormal bodily experiences are often listed in the domain of positive symptoms, including somatic delusion, bodily hallucinations and disorders of ego-boundaries, blurring their specific characteristics and properties. To overcome this problem, ad hoc symptom checklists were designed to assess experiential anomalies in people with schizophrenia that may be considered as subtle and subor pre-psychotic disorders (BSABS ³⁴ and EASE ⁷²). These

TABLE III. Lived body in people with schizophrenia.

Subjective experiences		
Category	Description category/ subcategory	
1. Dynamization	1.1 Dynamization of bodily boundaries: Perplexing experience of strange, uncommon forces or objects violating from outside the boundaries of the body ("Areas of body where forces enter"). 1.2 Dynamization of bodily construction: Perplexing phenomena of unusual, strange movements or forces acting inside one's body; bodily components are moving away from their usual position ("Mouth was where hair should be"). 1.3 Externalization: Bodily components, vital energies or biological activities are projected beyond one's somatic boundaries ("Vagina half outside").	
2. Morbid Objectivation	Bodily parts or functions that are typically in the tacit background are explicitly experienced. Increased degree of "thingness" in the body. Parts of oneself are spatialised. The body is experienced as devoid of life or substituted by some kind of mechanism ("I felt programmed like a robot").	
3. Dysmorphic-like Phenomena	3.1 Dysmorphic phenomena: Puzzling phenomena of an ongoing change/destructuring in parts of one's body, especially its form/appearance, or in the body as a whole ("My nose is changing"). 3.2 Dysmorphophobia: Bodily form/appearance experienced as ugly, or having some physical defect although it appears to others within normal limits ("Bust bigger and bones smaller").	
4. Pain-like Phenomena	Paroxysms or persistent unpleasant/painful and "strange" bodily feelings not substantiated by any medical evaluation ("Pains and feelings of being cut up in various parts of body").	

interviews contain distinct sub-scales for abnormal bodily experiences, but the issue of their sensibility and specificity is still debated.

In a recent study, 82 we identified four categories of abnormal bodily phenomena (see Table III):

1. Dynamisation

This category refers to the way patients experience their bodily boundaries and construction. Dynamisation includes 3 Subcategories:

- 1.1 Dynamisation of bodily boundaries. Patients report the perplexing experience of strange, uncommon forces or objects violating from outside the boundaries of the body. A typical sentence is: "Areas of body where forces enter".
- 1.2 Dynamisation of bodily construction. Patients report perplexing phenomena of unusual, strange movements or forces acting inside one's body; bodily components are also experienced as moving away from their usual position, shifting around the usual spatial relationships. A typical sentence is: "Mouth was where hair should be".
- 1.3 Externalisation. Bodily components, vital energies or biological activities are experienced as projected be-

yond one's somatic boundaries. A typical sentence is: "Vagina half outside".

2. Morbid Objectivation

This category refers to the way persons experience the vitality and workings of their body. Patients explicitly perceive bodily parts or functions that are typically in the tacit background of experience. There is an increased degree of "thingness" in the body. Parts of oneself are spatialised, as if they were not part of the living body. Also, the body is experienced as devoid of life or substituted by some kind of mechanism. A typical sentence is: "I felt programmed like a robot".

3. Dysmorphic-like Phenomena

This category refers to the way patients experience and represent the external form and appearance of their body. This category includes 2 subcategories:

3.1 Dysmorphic Phenomena. This includes puzzling phenomena of an on-going change/destructuring in parts of one's body, especially its form/appearance, or in the body as a whole; the experience may involve the entire organism, or components. A typical sentence is: "My nose is changing".

3.2 Dysmorphophobia. Patients are puzzled about the form/appearance of their body because they experience it as ugly, or having some physical defect (especially asymmetry or change in proportion), although they appear to others within normal limits. A typical sentence is: "Bust bigger and bones smaller".

4. Pain-like Phenomena

This is a residual category that may also include phenomena that are not specific to schizophrenia. The core phenomenon in this category is that the patients report unpleasant/painful bodily feelings that are not substantiated by any medical evaluation; experiences may present themselves in the form of paroxysms or persistent sensations; they are characterised by feelings of strangeness. A typical sentence is: "Pains and feelings of being cut up in various parts of the body".

Self

Classic phenomenological studies reveal that a disruption in the basic sense of being a self is a fundamental feature in schizophrenia ^{5 9 32 72 87-109}. Jaspers ³³ defined self-awareness according to four formal characteristics: *self-activity, self-unity, self-identity* and *self-demarcation*. Scharfetter ¹⁰⁴ added a fifth dimension, *self-vitality*. Recently, after several decades of neglect, the concept of "selfhood" assumed again relevance for understanding and diagnosis of schizophrenia spectrum disorders. Drawing on the French phenomenologist Michel Henry's ¹⁰⁵ concept of the basic sense of existing and the philosopher Michael Polanyi's ¹⁰⁶ notion of the "tacit dimension" – together with various ideas from Husserl ¹⁰⁷ and Merleau-Ponty ¹⁰⁸ – Parnas and Sass have interpreted schizophrenia as a disorder of the pre-reflexive self, i.e. a pervasive pertur-

bation of the core sense of self that is normally implicit in each act of awareness ^{5 72 95}.

These changes in the basic structures of consciousness are accompanied by an alteration of the very structure of the field of awareness, which leads to an emergent, particular way of experiencing that is infused by: (a) a change in the focus or salience with which objects and meanings emerge from the background context; (b) an altered conceptual "grip" or "hold" on the world; (c) a mutual amplification of the growing dissolution of the sense of existing as a subject with a more pronounced, disturbing and alienating self-scrutiny; (d) an increasing objectification and externalisation of normally tacit inner phenomena, with a morbid objectification of one's own psychic life 109. At the extreme of such progression the person might lose the naturally pre-given sense of coinciding with his own thoughts, sensations and actions and may feel that he is under the influence of some alien force or entity.

We may distinguish two main domains of self-disorders in schizophrenia (Table IV):

1. Diminished self-affection.

This refers to the breakdown of the crucial sense of self-sameness, of existing as a unified, unique and embodied subject of experience that is at one with oneself at any given moment. When this basic sense of self is disturbed, the person is inclined to experience a concomitant fading in the tacit, pre-verbal feeling of existing as a living and unified subject of awareness and a kind of exaggerated self-consciousness (hyper-reflexivity, see below). Self-affection provides to subjective experience the sense (pre-reflexive) of being the owners (mineness) and initiators (agency) of our own thoughts, behaviours and emotions. Experiences of intra-psychic and somato-psy-

TABLE IV. Self-experience in people with schizophrenia.

Subjective experiences	
Category	Description category/ subcategory
1. Diminished self-affection	Breakdown of the crucial sense of self-sameness, of existing as a unified, unique and embodied subject of experience that is at one with oneself at any given moment. A concomitant fading in the tacit, pre-verbal feeling of existing as a living and unified subject of awareness and a kind of exaggerated self-consciousness (hyper-reflexivity, see below) ("I feel my self dislocated from its normal position", "I do not feel my Self anymore").
2. Hyperreflexivity	Tendency toward focal awareness of aspects of consciousness and the body that would normally be experienced in a tacit or immediate manner. It may occur in an "operative", automatic, or non-volitional fashion ("I had to think about what to think", "I can feel my thoughts as they come out of my mind").

chic depersonalisation emerge as the split between parts of one's self. Typical sentences: "I feel my self dislocated from its normal position", "I do not feel my self anymore".

2. Hyperreflexivity.

Diminishes self-affection is associated with a complementary tendency toward focal awareness of aspects of consciousness and the body that would normally be experienced in a tacit or immediate manner. Hyperreflexivity may occur in an "operative", automatic, or non-volitional fashion ¹⁰³. It emphasises the capacity of the self to split into a subject and an object of experiences and implies, e.g. the perceptualisation of inner speech or thought. Typical sentences: "I had to think about what to think", "I can feel my thoughts as they come out of my mind".

Other persons

A core feature in schizophrenia is the difficulty to enter into contact with other persons 10 20 32 50 79 83 89 95 98 100 110-122 Schizophrenic autism reflects the fundamental constitutional fragility of selfhood, that is, its fundamental incompleteness, which results in problematic relations, meetings and confrontations with others 50. Modern phenomenological accounts of autism mainly draw on Minkowski's 20 and Blankenburg's ideas 110. Minkowski assumed that schizophrenic autism is a loss of vital contact with reality, including morbid rationalism and the so-called "antithetic attitude". Vital contact with reality provides a latent awareness of reality "making us adjust and modify our behaviour in a contextually relevant manner but without distorting our overall goals, standards and identity" 111. Over the years, phenomenological psychopathology has never ceased deploying the concept of autism as an organiser of the meaning of the conditions of existence that go under the name of schizophrenia 32 79 112-117. In brief, from the angle of clinical phenomenology, autism implies a disturbance of attunement, i.e. of the ability to perceive the existence of others and to see their mental structure as similar to one's own; make emotional contact and establish mutual relationships; intuitively understand the manifestations of mental life of other persons, and communicate with others using the shared meaning structures in a context-relevant manner 115 118. The phenomenon of schizophrenic autism is characterised by the progressive removal of other individuals from the category of living-conscious beings, up to a mechanical objectivisation of the Other and an impersonal and algorithmic conception of social life 83 119. Autism implies a fracture in social life, which is therefore compromised in the ability to recognise others as individuals endowed with complex and interrelated mental states (emotions,

thoughts, feelings of affection which influence one another), and in the possibility to understand other people by means of pre-reflective and non-propositional attunement with the expressions of their mental life and by means of a keyboard of shared symbols and experiences. It is possible to identify five distinctive categories that characterize the world of schizophrenic autism ¹²⁰ (Table V):

1. Hypo-attunement

This is the immediate feeling of reduced attunement, i.e. emotional contact and detachment from other persons, and the pervasive feeling of inexplicability incomprehensibility of people's behaviours and social situations. It includes:

- 1.1 Immediate Feeling of Distance Detachment or Lack of Resonance The immediate feeling of distance and detachment, a sense of barrier between oneself and the other. Typical sentence: "I always felt as if I belonged to another race".
- 1.2 Immediate Feeling of Incomprehensibility of Other People and Social Situations The lack of intuitive "grip" on social situations. Typical sentence: "I simply cannot grasp what others do".
- 1.3 Ego-Syntonic Feelings of Radical Uniqueness and Exceptionality

 The exaltation of one's feelings of radical uniqueness and exceptionality. It seems to be grounded in anomalous sensations, feelings of disconnectedness from commonly shared reality. Typical sentence: "I've always thought to be radically different from all other people, perhaps an alien. It depends on all my strange thoughts which surprised me".

2. Invasiveness

This is the feeling of being oppressed and invaded by the others, from without. It includes:

- 2.1 Immediate Feeling of Hostility or Oppression: the experience to be somewhat invaded, flooded by the external world or by the other people, or to be somehow in a passive, dangerously exposed position. Typical statement: "I feel driven by the human flood. It is a feeling of danger, as if I were invaded".
- 2.2 Immediate Feeling of Lack of Self-Other Boundaries: immediate feeling of being somehow "too open or transparent", to be physically invaded or penetrated by other people's gestures, speech, actions, or glances. Typical statement: "I feel people entering inside me".
- 2.3 Hyper-Empathic Experiences: the inability to take distance from other people determined by immediate feelings of merging with other persons, direct mindreading of others, fusional, or mimetic experience. Typical sentence: "I feel the mental states of others and I can no longer find myself".

TABLE VI.

Experiences of others in people with schizophrenia.

Subjective experiences		
Category	Description category/ subcategory	
1. Hypo-attunement	 1.1 Immediate Feeling of Distance or Lack of Resonance: A sense of barrier between oneself and the other ("I always felt as if I belonged to another race"). 1.2 Immediate feeling of incomprehensibility of other people and social situations: Lack of intuitive "grip" on social situations ("I simply cannot grasp what the others do"). 1.3 Ego-Syntonic Feelings of Radical Uniqueness and Exceptionality: Exalted feelings of radical distinctiveness grounded on anomalous sensations of disconnectedness ("I've always thought to be radically different from all other people, perhaps an alien. It depended on all my strange thoughts that surprised me"). 	
2. Invasiveness	2.1 Immediate Feeling of Hostility or Oppression: Feeling of being in a passive, dangerously exposed position ("I feel driven by the human flood. It is a feeling of danger, as if I were invaded"). 2.2 Immediate Feeling of Lack of Self-Other Boundaries: Feeling of being physically invaded or penetrated by other people's gestures, speech, actions, or glances ("I feel people entering inside me"). 2.3 Hyper-Empathic Experiences: Feelings of merging with other persons, direct mindreading of others, fusional or mimetic experiences ("I feel the mental states of others and I can no longer find myself").	
3. Cenesthopathic/Emotional Flooding	3.1 Emotional Paroxysms: Feeling of being overloaded by distressing emotions when in front of others ("When people get too close to me I feel a tension in my muscles"). 3.2 Coenesthesic paroxysms: Feeling of being oppressed by uncanny bodily sensations evoked by interpersonal contacts ("When I look someone straight in the eyes I feel strange vibrations inside").	
4. Algorithmic Conception of Sociality	4.1 Observational (ethological) attitude: Attempt to make sense of the others' mental states through empirical observations in everyday life transactions, or "scientific" analysis of the workings of "intelligent" mechanisms ("I study people. I want to understand how they are inside"). 4.2 Algorythmic conception of sociality: Development of an explicit personal method to take part in social transactions ("I studied a system to intervene at the right moment in conversations").	
5. Antithetic Attitude towards Sociality	 5.1 Antagonomia: Independence as the most important value. Conventional knowledge and emotional attunement are dangerous sources of loss of individuation ("What I detest more is being persuaded by others"). 5.2 Abstract idealization of sociality: Engagement with "real" persons is replaced by utopian interest in abstract humanitarian values ("I love Mankind, but I detest humans"). 5.3 Idionomia: Exalted existential standpoint not allowing integration with the other's point of view or with common sense. ("I must test the reality of reality", "Through suffering, from God I will have the power over the planet"). 	

- 3. Cenesthopathic/Emotional Flooding
 This is the feeling of being oppressed and submerged
 from within by paroxysms of one's emotions and
 bodily sensations evoked by interpersonal contacts.
 It includes:
- 3.1 Emotional Paroxysms: feeling overloaded by one's
- distressing emotions in form of paroxysms when in front of others. Typical sentence: "When people get too close to me I feel tension in my muscles".
- 3.2 Coenesthesic Paroxysms: feelings of being oppressed by uncanny and incomprehensible bodily sensations evoked by interpersonal contacts. Typical statement:

"When I look someone straight in the eyes I feel strange vibrations inside".

- 4. Algorithmic Conception of Sociality
 This is a conceptual, analytic, hyper-cognitive, hyper-rationalist, hyper-reflective stance toward sociality and the adoption of a "mathematisable" conceptualisation of interpersonal transactions in everyday life. Its main features are:
- 4.1 Observational (ethological) attitude: the attempt to make sense of the mental states of others that lie behind their behaviour through empirical observations of other people in everyday life transactions, or from the "scientific" analysis of the workings of "intelligent" mechanisms. Typical statement: "I study people. I am curious. I want to understand how they are inside".
- 4.2 Algorithmic Conception of Sociality: the observational attitude provides the basis for developing an explicit personal method or algorithm to take part in social transactions. Typical statement: "I have studied a system to intervene at the right moment in conversations".
- 5. Antithetic Attitude towards Sociality
 Antithetic attitude toward sociality is the value-structure or existential orientation of persons with schizophrenia. It is comprehensive of:
- 5.1 Antagonomia: the feeling to be vulnerable to the influx coming from the external world and claim one's independence as the most important value. Conventional (common sense) assumptions, social-shared knowledge, common ways of thinking and behaving and immediate (empathic) relationships and emotional attunement are evaluated as dangerous sources of loss of individuation. Typical statement: "What I detest more is being persuaded by others".
- 5.2 Abstract Idealisation: replacing the engagement with "real" persons by a marked utopian interest in mankind or abstract humanitarian values. Typical statement: "I love Mankind, but I detest humans".
- 5.3 Idionomia: a kind of exalted existential standpoint that does not allow integration or compromise with the other's point of view or with common sense. Idionomia is comprehensive of metaphysical concerns (they are sceptical about the face value of phenomena) and charismatic concerns (they are convinced that they have a mission to accomplish). Typical statements: "I must test the reality of reality", "Through suffering, from God I will have the power over the planet".

Conclusions

The profound transformation of the life-world of persons with schizophrenia involves changes in the ontological framework of experience, and has serious consequences

for how such persons live their life as embodied persons and how they understand the existence of other people. Drawing on classical as well as contemporary psychopathological accounts, we systematically, although succinctly, described the basic features of these changes. Lived time, space, body and selfhood and otherness are used as the principal descriptors of this transformation. We offer a reconstruction of the life-world of persons with schizophrenia that discloses their primordial *in esse*, their basic sense of being in the world. We argue that a detailed knowledge of these deep ontological changes is fundamental for our understanding of the schizophrenic style of experience and action as well as for making sense of the symptoms of schizophrenia.

A mental disorder is not a simple association of symptoms, but a coherent way of being in the world in which the phenomena intimately interpenetrate each other in a meaningful whole, i.e. a structure. From our reconstruction of the schizophrenic life-world, it emerges that the phenomenon of fragmentation is a candidate common denominator of schizophrenic experience. Fragmentation appears a basic feature of lived time, as well as space (itemisation), body (dynamisation and morbid objectivation) and selfhood (diminished self-affection). The loss of a coherent Gestalt of experience seems to run through the manifold of schizophrenic abnormal phenomena, also affecting self-world relatedness and inter-esse (hypoattunement). This suggests that the crisis of the synthetic function of consciousness, that is, of the temporal unity of consciousness, could be at the basis of the characteristic "disarticulation", distinctive of the schizophrenic world.

Conflict of interest

None.

References

- ¹ Cutting J, Dunne F. *Subjective experience of schizophrenia*. Schizophr Bull 1989;15:217-31.
- ² American Psychiatric Association. DSM-5. Diagnostic and statistical manual of mental disorders. Washington, DC: American Psychiatric Press 2013.
- Parnas J, Handest P, Jansson L, et al. *Anomalous subjective experience among first-admitted schizophrenia spectrum patients: empirical investigations*. Psychopathology 2005;38:259-67.
- Fuchs T. The self in schizophrenia: Jaspers, Schneider, and beyond. In: Stanghellini G, Fuchs T, editors. One century of Karl Jaspers' general psychopathology. Oxford: OUP Oxford 2013, p. 245-257.
- Parnas J. A disappearing heritage: the clinical core of schizophrenia. Schizophr Bull 2011;37:1121-30.
- Schutz A, Luckmann T. The structures of the life-world. Evanston III: Northwestern University Press 1989.

- Fuchs T. Phenomenology and psychopathology. In: Schmicking D, Gallagher S, editors. Handbook of phenomenology and cognitive science. Dordrecht: Springer Science & Business Media BV 2010, p. 547-573.
- Stanghellini G, Ballerini M, Fusar Poli P, et al. Abnormal bodily experiences may be a marker of early schizophrenia? Curr Pharmac Design 2012;18:392-8.
- ⁹ Sass LA, Pienkos E. *Space, time, and atmosphere: a comparative phenomenology of melancholia, mania, and schizophrenia, part II.* J Conscious Stud 2013;20:131-52.
- Stanghellini G, Ballerini M. What is it like to be a person with Schizophrenia in the social world? A first-person perspective study on schizophrenic dissociality - Part 2: Methodological issues and empirical findings. Psychopathology 2011;44:183-92.
- Husserl E. The Crisis of european sciences and transcendental phenomenology: an introduction to phenomenological philosophy. Northwestern University Press 1970.
- Parnas J. Belief and pathology of self-awareness: a phenomenological contribution to the classification of delusions. In: Zahavi D editor. Hidden resources. Classical perspectives on subjectivity. Exeter: Impring Academic 2004, pp. 148-61.
- Stanghellini G, Rosfort R. Emotions and personhood: exploring fragility-making sense of vulnerability. Oxford: Oxford University Press 2013.
- Stanghellini G, Rossi R. Pheno-phenotypes: a holistic approach to the psychopathology of schizophrenia. Curr Opin Psychiatry 2014;27:236-41.
- Stanghellini G, Ballerini M, Cutting J. Abnormal Bodily Phenomena Questionnaire. J Psychopathology 2014;20:36-41.
- Fouks L, Guibert S, Montot M. Minkowski's concept of lived time. Ann Med Psychol 1989;147:801-9.
- ¹⁷ Pringuey D. *L'impatience schizophrenique*. L'Èvolution Psichiatrique 1997;62:357-67.
- ¹⁸ Chamond J. Le temps de l'illégitimité dans la schizophrénie. Approche phénoménologique. L'Évolution Psychiatrique 1999;64:323-36.
- ¹⁹ Minkowski E. Le temps vecu. Paris: d'Arey 1933.
- ²⁰ Minkowski E. *La schizophrénie*. *Psychopathologie des schizoïdes et des schizophrènes*. Paris: Payot 1927.
- Pringuey D, Kohl FS, Schwartz MA, et al. *Schizophrenia as a temporal mode of being: an existential "ante-festum" impatience*. Seishin Shinkeigaku Zasshi 2003;105:734-43.
- ²² Kimura B. *Scritti di psicopatologia fenomenologica*. Roma: Giovanni Fioriti Editore 2005.
- Wyllie M. *Lived time and psychopathology*. Philos Psychiatr Psychol 2005;12:173-85.
- Broome MR. Suffering and eternal recurrence of the same: the neuroscience, psychopathology, and philosophy of time. Philos Psychiatr Psychol 2005;12:187-94.
- ²⁵ Kupke C. *Lived time and to live time: a critical comment on a paper by Martin Wyllie.* Philos Psychiatr Psychol 2005;12:199-03.

- ²⁶ Fuchs T. *The temporal structure of intentionality and its disturbance in schizophrenia*. Psychopathology 2007;40:229-35.
- Fuchs T. Temporality and psychopathology. Phenom Cogn Sci 2013;1:75-104.
- ²⁸ Bilheran A, Barthélémy S, Pedinielli JL. *La temporalité dans la psychose: une temporalité mythique? Rythmicité circulaire et sacralité*. L'évolution psychiatrique 2008;73:629-38.
- Leiviska, Deland AC, Karlsson G, et al. A phenomenological analysis of the psychotic experience. Hum Stud 2011;34:23-42.
- Arzy S, Mohr C, Molnar-Szakacs I, et al. *Schizotypal perceptual aberrations of time: correlation between score, behavior and brain activity*. PLoS ONE 2011;6:16154-60.
- Husserl E. On the phenomenology of the consciousness of internal time. Dordrecht: Kluwer 1991.
- Sass LA, Pienkos E. Space, time, and atmosphere: a comparative phenomenology of melancholia, mania, and schizophrenia, part II. J Conscious Stud 2013;20:131-52.
- Jaspers K. General psychopathology. 7th ed. Baltimore, MD: Johns Hopkins University Press 1997.
- ³⁴ Gross G, Huber G, Klosterkotten J, et al. Bonn scale for the assessment of basic symptom. Aachen: Shaker Verlag 2008.
- Ellenberger HF. A clinical introduction to psychiatric phenomenology and existential analysis. In: May R, Angel E, Ellenberger HF, editors. Existence: a new dimension in psychiatry and psychology. New York: BasicBooks 1958, pp. 92-124.
- Raballo A, Nelson B. Unworlding, perplexity and disorders of transpassibility: between the experiential and the existential side of schizophrenic vulnerability. Psychopathology 2010;43:25-1.
- Sass L. Madness and modernism: insanity in the light of modern art, literature, and though. New York: Basic Books 1992.
- Fuchs T. Psychotherapy of the lived space: a phenomenological and ecological concept. Am J Psychother 2007;61:423-39.
- ³⁹ Callieri B. *Quando vince l'ombra problemi di psicopatologia clinica*. Roma: Edizioni Universitarie Romane 2001.
- Willi J. Ecological developing by shaping the personal niche. Cambridge, MA: Toronto, Goettingen; Hogrefe & Huber 1999.
- ⁴¹ Callieri B, Maldonato M, Di Petta G. *Lineamenti di psicopatologia fenomenologica*. Napoli: Alfredo Guida Editore 1999.
- Stanghellini G. Schizophrenic consciousness, spiritual experience, and the borders between things, images and words. Transcul Psychiatry 2006;42:610-29.
- ⁴³ Sechehaye M. *Autobiography of a schizophrenic girl*. New York: Penguin 1962.
- 44 Conrad K. 1966. Die beginnende Schizophrenie, Stuttgart, Thieme, 1966.
- Matussek P. Studies in delusional perception. In: Cutting J, Shepherd M, editors. The clinical roots of the schizophrenia concept. Cambridge: Cambridge University Press 1987, pp. 89-103.

- Sass L, Pienkos E. Delusions: the phenomenological approach. In: Fulford W, Davies M, Graham G, et al. editors. Oxford handbook of philosophy and psychiatry. Oxford: Oxford University Press 2013, pp. 632-57.
- ⁴⁷ Sass L, Pienkos E. *Varieties of self-experience: a comparative phenomenology of melancholia, mania, and schizophrenia, part I.* J Conscious Stud 2013;20:103-30.
- Cutting J. Principles of psychopathology: two worlds two minds - two hemispheres. Oxford: Oxford University Press 1997.
- ⁴⁹ Gozzetti G, Cappellari L, Ballerini A. Psicopatologia fenomenologica della psicosi – Sul senso dell'incontro con l'esperienza psicotica. Milano: Raffaello Cortina Editore 1999.
- 50 Stanghellini G. Embodiment and schizophrenia. World Psychiatry 2009;8:56-59.
- Fusar-Poli P, Stanghellini G. *Maurice Merleau-Ponty and the embodied subjectivity*. Med Anthropol Q 2009;23:91-3.
- McGlichrist I, Cutting J. Somatic delusions in schizophrenia and the affective psychoses. Br J Psychiatry 1995; 167:350-61.
- Huber G. Die coenaesthetische Schizophrenie. Fortschr Neurol Psychiatr 1957;25:491-520.
- Huber G. Die coenaesthetische schizophrenie als praegnanztyp schizophrener erkrankungen. Acta Psychiatr Scand 1971:47:349-62.
- Roehricht F, Priebe S. Disturbances of body experience in schizophrenic patients. (Stoerungen des Koerpererlebens bei schizophrenen Patienten.) Fortschr Neurol Psychiatr 1997;65:323-36.
- Schmoll D, Koch T. Leib gefuehls stoerungen in der schizophrenen psychose. Eine kasuistik. Nervenarzt 1989;60:619-27.
- ⁵⁷ Schmoll D. *Coenaesthetische schizophrenie*. Fortschr Neurol Psychiatr 1994;62:372-78.
- Klosterkötter J, Hellmich M, Steinmeyer EM, et al. Diagnosing schizophrenia in the initial prodromal phase. Arch Gen Psychiatry 2001;58:158-64.
- Dworkin RH, Caligor E. Psychiatric diagnosis and chronic pain: DSM III-R and beyond. J Pain Symptom Manage 1988;3:87-98.
- Rosenthal SH, Porter KA, Coffey B. *Pain insensitivity in schizophrenia: case report and review of the literature.* Gen Hosp Psychiatry 1990;12:319-22.
- Oworkin RH. Pain insensitivity in schizophrenia: a neglected phenomenon and some implications. Schizophr Bull 1994;20:235-48.
- Guieu R, Samuelian JC, Coulouvrat H. Objective evaluation of pain perception in patients with schizophrenia. Br J Psychiatry 1994;64:253-5.
- 63 Blackmore S. Out-of-body experiences in schizophrenia. A questionnaire survey. J Nerv Ment Dis 1986;174:615-9.
- Twemlow SW, Gabbard GO, Jones FC. The out-of-body experience: a phenomenological typology based on question-naire responses. Am J Psychiatry 1982;139:450-5.
- ⁶⁵ Connolly F, Gipson M. *Dysmorphophobia*. A long term study. Br J Psychiatry 1978;132:458-70.

- 66 Hay G. Paranoia and dysmorphophobia. Br J Psychiatry 1983; 142:309-10.
- ⁶⁷ Birtchnell SA. *Dysmorphophobia a centenary discussion*. Br J Psychiatry 1988;153:41-3.
- ⁶⁸ Snaith P. *Body image disorders*. Psychother Psychosom 1992;58:119-24.
- Phillips KA, McElroy SL. Insight, overvalued ideation, and delusional thinking in body dysmorphic disorder: theoretical and treatment implications. J Nerv Ment Dis 1993;81:699-702.
- deLeon J, Bott A, Simpson GH. Dysmorphophobia: body dysmorphic disorder or delusional disorder, somatic type? Compr Psychiatry 1989;30:457-72.
- Phillips KA, McElroy SL, Keck PE, et al. A comparison of delusional and nondelusional body dysmorphic disorder in 100 cases. Psychopharmacol Bull 1994;30:179-86.
- Parnas J, Møller P, Kircher T, et al. *EASE*: examination of anomalous self-experience. Psychopathology 2005;38:236-58.
- ⁷³ Feldman MD. *The challenge of self-mutilation: a review*. Compr Psychiatry 1988;29:252-69.
- Martin T, Gattaz WF. Psychiatric aspects of male genital self-mutilation. Psychopathology 1991;24:170-8.
- ⁷⁵ Sonneburn CK, Vanstraelen PM. *A retrospective study on self-inflicted burns*. Gen Hosp Psychiatry 1992;14:404-7.
- Weiser M, Levy A, Neuman M. Ear stuffing: an unusual form of self mutilation. J Nerv Ment Dis 1993; 181:587-8.
- Kennedy BL, Feldmann TB. *Self-inflicted eye injuries: case presentations and a literature review*. Hosp Community Psychiatry 1999;45:470-4.
- ⁷⁸ De Haan S, Fuchs T. The Ghost in the machine. Disembodiment in schizophrenia. Two case studies'. Psychopathology 2010;43:327-33.
- 79 Stanghellini G. Psicopatologia del senso comune. Milano: Raffaello Cortina 2008.
- 80 Stanghellini G. Schizophrenic delusions, embodiment, and the background. Philos Psychiatr Psychol 2008;15:311-4.
- Stanghellini G, Ballerini M, Fusar Poli P, et al. *Abnormal bodily experiences may be a marker of early schizophrenia?* Curr Pharm Design 2012;18:392-8.
- Stanghellini G, Ballerini M, Blasi S, et al. *The bodily self: a qualitative study of abnormal bodily phenomena in persons with schizophrenia*. Compr Psychiatry 2014;55:1703-11.
- ⁸³ Cutting J. *Morbid objectivization in psychopathology*. Acta Psychiatr Scand 1999;99(Suppl):30-3.
- Bräunig P, Krueger S, Rommel O, et al. Zönästhetische schizophrenien. Schweiz Arch Neurol Psychiatry 2000;151:16-21.
- ⁸⁵ Röhricht F, Priebe S. *Do cenesthesias and body image aber*ration characterize a subgroup in schizophrenia? Acta Psychiatr Scand 2002;105:276-82.
- Priebe S, Röhricht F. *Specific body image pathology in acute schizophrenia*. Psychiatry Res 2001;101:289-301.
- ⁸⁷ Hur JW, Kwon JS, Lee TY, et al. The crisis of minimal self-

- awareness in schizophrenia: a meta-analytic review. Schizophr Res 2013;152:58-64.
- Parnas J. The self and intentionality in the pre-psychotic stages of schizophrenia. A phenomenological study. In: Zahavi D, editor. Exploring the self. Philosophical and psychopatological perspective on self-experience. Amsterdam/ Philadelphia: Benjamins 2000, pp. 115-48.
- Parnas J, Handest P. Phenomenology of anomalous selfexperience in early schizophrenia. Compr Psychiatry 2003;44:121-34.
- Parnas J, Handest P, Saebye D, et al. Anomalies of subjective experience in schizophrenia and psychotic bipolar illness. Acta Psychiatr Scand 2003;108:126-33.
- 91 Parnas J, Jansson L, Sass LA, et al. Self-experience in the prodromal phases of schizophrenia: a pilot study of first admission. Neurol Psychiatry Brain Res 1998;6:107-16.
- 92 Sass LA. Self-disturbance and schizophrenia: structure, specificity, pathogenesis (current issues, new directions). Schizophr Res 2014;152:5-11.
- Sass LA, Pienkos E, Nelson B. Introspection and schizophrenia: a comparative investigation of anomalous self experiences. Conscious Cogn 2013;22:853-67.
- ⁹⁴ Zahavi D. Self-awareness and alterity. A phenomenological investigation. Evanston: Northwestern University Press 1999.
- 95 Sass LA, Parnas J. Schizophrenia, consciousness, and the self. Schizophr Bull 2003;29:427-44.
- Parnas J. Self and schizophrenia: a phenomenological perspective. In: Kircher T, David A, editors. The self in neuroscience and psychiatry. Cambridge: Cambridge University Press 2003, p. 127-141.
- ⁹⁷ Sass L. *Schizophrenia, self-consciousness, and the modern mind.* J Conscious Stud 1998;5:543-65.
- Sass L. Self and world in schizophrenia: three classic approaches in phenomenological psychiatry. Philos Psychiatr Psychol 2001;8:251-70.
- 99 Stanghellini G. Vulnerability to schizophrenia and lack of common sense. Schizophr Bull 2000;26:775-87.
- Stanghellini G, Ballerini M. Values in persons with schizophrenia. Schizophr Bull 2007;33:131-41.
- Maggini C, Raballo A. Self-centrality, basic symptoms model and psychopathology in schizophrenia. Psychopathology 2004;37:69-75.
- Raballo A, Parnas J. Examination of anomalous self-experience: initial study of the structure of self-disorders in schizophrenia spectrum. J Nerv Ment Dis 2012;200:577-83.
- ¹⁰³ Sass L. Civilized madness: schizophrenia, self-consciousness and the modern mind. History Hum Sci 1994;7:83-120.
- 104 Sharfetter C. General psychopathology. Cambridge: Cambridge University Press 1980.

- Henry M. Incarnation. Une philosophie de la chair. Paris: Edition du Seuil 2000.
- Polanyi M. The tacit dimension. Garden City, NY: Anchor Books 1967.
- Husserl E. Ideas pertaining to a pure phenomenology and to a phenomenological philosophy, second book. Dordrecht: Kluwer 1989.
- Merleau-Ponty M. The phenomenology of perception. New York: Routledge and Kegan Paul 1962.
- Stanghellini G, Raballo A. Differential typology of delusions in major depression and schizophrenia. A critique to the unitary concept of "psychosis". J Affect Disord 2015;171C:171-8.
- ¹¹⁰ Blankenburg W. *Der verlust der natürlichen selbstverständlichkeit*. Stuttgart: Enke 1971.
- ¹¹¹ Urfer A. *Phenomenology and psychopathology of schizophrenia: the views of Eugene Minkowski*. Philos Psychiatr Psychol 2001;8:279-89.
- Stanghellini G, Ballerini M. Autism: disembodied existence. Philos Psychiatr Psychol 2004;11:259-68.
- ¹¹³ Binswanger L. *Drei formen missglueckten daseins*. Tuebingen: Max Niemeyer 1956.
- Mundt C. Constituting reality: its decline and repair in the long-term course of schizophrenic psychoses: the intentionality model. In: Marneros A, Andreasen NC, Tsuang MT, editors. Negative versus positive schizophrenia. Berlin/Heidelberg: Springer-Verlag 1991, pp. 96-108.
- Parnas J, Bovet P. Autism in schizophrenia revisited. Compr Psychiatry 1991;32:1-15.
- Tatossian A. *Phénoménologie de la schizophrénie*. Schweiz Archiv Neurol, Neuropsychiatry Psychiatry 1984;135:9-15.
- Wyrsch J. Klinik der schizophrenie. In: Gruhle E, Jung R, Mayer-Gross R, et al. editors. Psichiatrie der gegenwart. Berlin: Springer 1949.
- Stanghellini G, Ballerini M. What is it like to be a person with schizophrenia in the social world? a first-person perspective study on schizophrenic dissociality Part 1: State of the art. Psychopathology 2011;44:183-92.
- Stanghellini G. Schizophrenia and the sixth sense. In: Chung MC, Fulford KWM, Graham G, editors. Reconceiving schizophrenia. Oxford: Oxford University Press 2007.
- Stanghellini G, Ballerini M, Lysaker PH. Autism rating scale ARS. J Psychopathology, in press.
- Stanghellini G, Ballerini M. Dis-sociality: the phenomenological approach to social dysfunction in schizophrenia. World Psychiatry 2002;1:102-6.
- Parnas J, Bovet P, Zahavi D. Schizophrenic autism: clinical phenomenology and pathogenetic implications. World Psychiatry 2002;1:131-6.